

# Acumens Security Functionality Document

Prepared & developed by

## **Document History**

### **Revision History:**

VERSION	DATE	SECTIONS REVISED	DESCRIPTION
1.0	05-24-2024		Document Prepared
2.0	09-23-2024		Added Data Security

# **Table of Contents**

1.	FIEL	FIELD & PAGE LEVEL SECURITY				
	1.1.		e Level Security:			
	1.1.	1.	Read only:	4		
	1.1.	2.	Block Execution:	e		
	1.2.	Field	d Level Security	8		
	1.2.	1.	Fast Tabs:	8		
	1.2.	2.	Fields	1 C		
	1.2.	3.	List Parts	11		
	1.2.		Page Actions:			
2.	DAT	A SEC	URITY	15		
	2.1.	Data	a Security Setup:	15		
	2.2.		a Security:			
	2.2.	1.	Data Security Filters Setup	15		
	2.2.	2.	User Security Setup			
	2.2.	3.	Data Security on Documents	17		

## 1. FIELD & PAGE LEVEL SECURITY

Acumens Field and Page level security is an app that allows users to control the use and view of various features on pages and its fields.


The security levels are defined on page and fields for tables included in setup.


## 1.1. Page Level Security:

## 1.1.1. Read only:

This option sets the page to read only mode.

It deactivates all fields from modification and disables all page actions.







#### 1.1.2. Block Execution:

Using the "Block execution" feature, user access to certain pages can be blocked.

Profile Codes Setup:



On trying to open customer card and execute any of the following actions, user gets an error message:




## 1.2. Field Level Security


This applies to Fast Tabs, Fields, List Parts, and page actions.

#### 1.2.1. Fast Tabs:


Example Customer Card.




#### Configuration




General Tab is inactive, and Address & Contact is hidden.




#### 1.2.2. Fields




#### Configuration







#### 1.2.3. List Parts

#### Example Sales Order:




#### Configuration:







## 1.2.4. Page Actions:



#### Configuration:






## 2. DATA SECURITY

# 2.1. Data Security Setup:


Default Data Security filters are Salesperson, Location, Responsibility Center, Global Dimension 1 & 2 and are automatically updated when Security Management setup is initialized.



## 2.2. Data Security:


## 2.2.1. Data Security Filters Setup

Based on Data Security filters defined on Security setup, Data Security filters is defined as below:




#### 2.2.2. User Security Setup

Salesperson code on user setup can be used for Data Security filters if the user is marked to use "View Individual Salesperson Filter".




Default Transfer Documents locations filters are defined on user setup



Data Security filter fields (Location Code, Responsibility Center, Global Dimension 1 and Global Dimension 2) can also be defined on User Setup to be used as default values when user creates a Customer, Vendor, Sales Document, Purchase Document or Service Document.


For Transfer Documents, the default values that are updated from user setup are Default Transfer-from Code, Default Transfer-to Code, Global Dimension 1 and Global Dimension 2.

This feature is implemented the same way as Salesperson on user setup in Standard Business Central.




## 2.2.3. Data Security on Documents

With the setup example below, with filter on location MAIN, all users assigned the data security profile will only view documents related to the specified location.



#### Customer list without the filter:



## Customer List when filter is applied:

